

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	1	6725382.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 12:50
2	1	5892906.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 12:53
3	1	5917168.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 13:20
4	1	5892906.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 13:36
5	1	6611914.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:07
6	9499	380/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:07
7	66	380/\$.ccls. and ((((security or authenti\$7 or encrypt\$4 or enciper\$4))with (((protected or (irreversibly adj blocked)or secured)adj3 (part or section or area or zone))))))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:08
8	55	(380/\$.ccls. and ((((security or authenti\$7 or encrypt\$4 or enciper\$4))with (((protected or (irreversibly adj blocked)or secured)adj3 (part or section or area or zone)))))) and (start\$up or power\$4 or initiali\$7)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 15:09

L Number	Hits	Search Text	DB	Time stamp
1	8610	((secured or protec\$4)near6 (boot\$4 or initiali\$6 or reset or power\$on or power\$up))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:24
2	34	((secured or protec\$4)near6 (boot\$4 or initiali\$6 or reset or power\$on or power\$up))) same (((secur\$6 or protect\$4 or encrytp\$6)near3 (code or program or software))with ((protected or secured or non\$errrasable or otp or (write adj2 once))near3 (part or sectionor area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:35
3	33	((secured or protec\$4)near6 (boot\$4 or initiali\$6 or reset or power\$on or power\$up))) with (((secur\$6 or protect\$4 or encrytp\$6)near3 (code or program or software))with ((protected or secured or non\$errrasable or otp or (write adj2 once))near3 (part or sectionor area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:31
4	1	((secured or protec\$4)near6 (boot\$4 or initiali\$6 or reset or power\$on or power\$up))) same (((secur\$6 or protect\$4 or encrytp\$6)near3 (code or program or software))with (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:42
5	11	((secured or protec\$4)near6 (boot\$4 or initiali\$6 or reset or power\$on or power\$up))) and (((secur\$6 or protect\$4 or encrytp\$6)near3 (code or program or software))with (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:48
6	87	((secur\$6 or protect\$4 or encrytp\$6)near3 (code or program or software))with (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:50
7	4	((secur\$6 or protect\$4 or encrytp\$6)near3 (code or program or software))with (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))) same (boot\$4 or initiali\$6 or reset or power\$on or power\$up)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 08:57
8	2	((security or protection or encrytp\$6)adj3 (code or program or software))with (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:00
9	7	((security or protection or encrytp\$6)adj3 (code or program or software))same (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone)))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:12

10	6	((security or protection or encrytp\$6)adj3 (code or program or software))same (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))	EPO; JPO; DERWENT	2004/08/04 08:57
11	1	5592641.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:03
12	0	ep0524719.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:00
13	0	524719.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
14	0	524719.ptpn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
15	0	gb2320855.ptpn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
16	0	gb2320855.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
17	0	gb2320855.apn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
18	1	2320855.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:01
19	1	5388267.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:04
20	1	5954817.pn.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:10
21	1207	moller.inv.	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:18
23	0	moller.inv. and bootup	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:11
24	0	moller.inv. and boot\$up	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:11
25	11	((security or protection or authenti\$7 or encrytp\$6)adj3 (code or program or software))same (((stored or saved or loaded or burned or program\$4)adj3(protected or secured or non\$errrasable or otp or (write adj2 once))))near3 (part or section or area or section or zone))	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:12
22	18	moller.inv. and security	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:13
27	0	(moller.inv. and (data adj processing)) and security	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:13
26	21	moller.inv. and (data adj processing)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:18
28	17	moller.inv. and (bernd)	USPAT; US-PGPUB; IBM_TDB	2004/08/04 09:18
29	1625	moller.inv.	EPO; JPO; DERWENT	2004/08/04 09:18
30	10	moller.inv. and (data adj processing)	EPO; JPO; DERWENT	2004/08/04 09:19

32	1	(moller.inv. and (data adj processing))	EPO; JPO;	2004/08/04 09:19
31	7	and (security)	DERWENT	
		moller.inv. and (security)	EPO; JPO;	2004/08/04 09:21
			DERWENT	
33	20483	713/\$.ccls.	USPAT;	2004/08/04 10:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
34	5648	713/\$.ccls. and ((secur\$4 or protect\$4 or	USPAT;	2004/08/04 09:25
		authenti\$7 or encrypt\$4)with (area or	US-PGPUB;	
		section or zone or part))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
35	400	713/\$.ccls. and ((secured or	USPAT;	2004/08/04 09:24
		protec\$4)near6 (boot\$4 or intiali\$6 or	US-PGPUB;	
		reset or power\$on or power\$up))	IBM_TDB	
36	8287	713/\$.ccls. and ((boot\$4 or intiali\$6 or	USPAT;	2004/08/04 10:06
		reset or power\$on or power\$up))	US-PGPUB;	
			IBM_TDB	
37	1820	(713/\$.ccls. and ((boot\$4 or intiali\$6 or	USPAT;	2004/08/04 10:06
		reset or power\$on or power\$up))) and	US-PGPUB;	
		((secur\$4 or protect\$4 or authenti\$7 or	EPO; JPO;	
		encrypt\$4)with (area or section or zone or	DERWENT;	
		part))	IBM_TDB	
38	1000	((713/\$.ccls. and ((boot\$4 or intiali\$6	USPAT;	2004/08/04 10:07
		or reset or power\$on or power\$up))) and	US-PGPUB;	
		((secur\$4 or protect\$4 or authenti\$7 or	EPO; JPO;	
		encrypt\$4)with (area or section or zone or	DERWENT;	
		part))) and ((secur\$4 or protect\$4 or	IBM_TDB	
		authenti\$7 or encrypt\$4)adj3 (code or		
		program or software))		
39	882	((713/\$.ccls. and ((boot\$4 or intiali\$6	USPAT;	2004/08/04 09:26
		or reset or power\$on or power\$up))) and	US-PGPUB;	
		((secur\$4 or protect\$4 or authenti\$7 or	EPO; JPO;	
		encrypt\$4)with (area or section or zone or	DERWENT;	
		part))) and ((security or protection or	IBM_TDB	
		authenti\$7 or encrypt\$4)adj3 (code or		
		program or software))		
40	434	((713/\$.ccls. and ((boot\$4 or intiali\$6	USPAT;	2004/08/04 10:05
		or reset or power\$on or power\$up))) and	US-PGPUB;	
		((secur\$4 or protect\$4 or authenti\$7 or	EPO; JPO;	
		encrypt\$4)with (area or section or zone or	DERWENT;	
		part))) and (((security or protection or	IBM_TDB	
		authenti\$7 or encrypt\$4)adj3 (code or		
		program or software))same (memory or		
		eprom or eeprom or storage))		
41	165	((713/\$.ccls. and ((boot\$4 or intiali\$6	USPAT;	2004/08/04 09:29
		or reset or power\$on or power\$up))) and	US-PGPUB;	
		((secur\$4 or protect\$4 or authenti\$7 or	EPO; JPO;	
		encrypt\$4)with (area or section or zone or	DERWENT;	
		part))) and (((execut\$4 or booting or	IBM_TDB	
		initiali\$7)with(security or protection or		
		authenti\$7 or encrypt\$4)adj3 (code or		
		program or software))same (memory or		
		eprom or eeprom or storage))		
42	165	((713/\$.ccls. and ((boot\$4 or intiali\$6	USPAT;	2004/08/04 09:31
		or reset or power\$on or power\$up))) and	US-PGPUB;	
		((secur\$4 or protect\$4 or authenti\$7 or	EPO; JPO;	
		encrypt\$4)with (area or section or zone or	DERWENT;	
		part))) and (((security or protection or	IBM_TDB	
		authenti\$7 or encrypt\$4)adj3 (code or		
		program or software))same (memory or		
		eprom or eeprom or storage))) and		
		((execut\$4 or booting or		
		initiali\$7)with(security or protection or		
		authenti\$7 or encrypt\$4)adj3 (code or		
		program or software))same (memory or		
		eprom or eeprom or storage))		

44	0	((713/\$.ccls. and ((boot\$4 or intiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))) and (((security or protection or authenti\$7 or encrypt\$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and (((processor or controller or cpu)near4 (initiali\$7 or boot46 or execut\$4))with ((security or authenti\$7)adj3 (program or code or software)))same (((protected or secured or non\$errrasable)near3 (area or part or section or zone))with (memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:38
45	0	((713/\$.ccls. and ((boot\$4 or intiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))) and (((security or protection or authenti\$7 or encrypt\$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and (((processor or controller or cpu)near4 (initiali\$7 or boot46 or execut\$4))same((security or authenti\$7)adj3 (program or code or software)))same (((protected or secured or non\$errrasable)near3 (area or part or section or zone))with (memory or storage)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:38
43	34	((713/\$.ccls. and ((boot\$4 or intiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))) and (((security or protection or authenti\$7 or encrypt\$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))) and (((processor or controller or cpu)near4 (initiali\$7 or boot46 or execut\$4))with ((security or authenti\$7)adj3 (program or code or software)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:07
46	274	713/\$.ccls.	EPO; JPO; DERWENT	2004/08/04 10:05
47	1	713/\$.ccls. and (((security or protection or authenti\$7 or encrypt\$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:08
48	8305	713/\$.ccls. and ((boot\$4 or intiali\$6 or reset or power\$on or power\$up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:06
49	1820	(713/\$.ccls. and ((boot\$4 or intiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:06
50	1000	((713/\$.ccls. and ((boot\$4 or intiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)adj3 (code or program or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:07

51	36	((713/\$.cccls. and ((boot\$4 or initiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)adj3 (code or program or software))) and (((processor or controller or cpu)near4 (initiali\$7 or boot46 or execut\$4))with ((security or authenti\$7)adj3 (program or code or software)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:07
52	34	((713/\$.cccls. and ((boot\$4 or initiali\$6 or reset or power\$on or power\$up))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)with (area or section or zone or part))) and ((secur\$4 or protect\$4 or authenti\$7 or encrypt\$4)adj3 (code or program or software))) and (((processor or controller or cpu)near4 (initiali\$7 or boot46 or execut\$4))with ((security or authenti\$7)adj3 (program or code or software)))) and (((security or protection or authenti\$7 or encrypt\$4)adj3 (code or program or software))same (memory or eprom or eeprom or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:09

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Wednesday, August 04, 2004

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L6	L5 with ((protect\$4 or block\$4 or (write-once) or (non-erasable) or (write-only)) near2 (memory or storage))	7
<input type="checkbox"/>	L5	(stor\$4 near3 security near2 (program or routine))	363
<input type="checkbox"/>	L4	(execut\$4 near3 security near3 (program or routine)) with ((start-up) or (boot-up) or initialization or boot\$4)	17
<input type="checkbox"/>	L3	(execut\$4 near3 security near3 (program or routine)) same ((start-up) or (boot-up) or initialization or boot\$4)	35
<input type="checkbox"/>	L2	L1 same execut\$4	67
<input type="checkbox"/>	L1	(security near3 (program or routine)) same ((start-up) or (boot-up) or initialization or boot\$4)	159

END OF SEARCH HISTORY